




OPTION CODE -1*




CKT NO 1




SECTION A-A


- NOTES:
1. MATERIAL: GLASS FILLED POLYESTER 94V-0 COLER WHITE.
 2. PLATINGS:
P909 - HOT TIN DIP: .000100/(0.00254) MIN.
* THE PRIMARY SHIPPING CARTON WILL BE LABELED "COMPLIANT TO RoHS DIRECTIVE 2002/95/EC AND ELV ANNEX II OF DIRECTIVE 2000/53/EC". CARTONS WITHOUT THIS LABEL MAY CONTAIN PRODUCT WITH TIN/LEAD PLATING.
 3. PRODUCT SPECIFICATION: NONE
 4. PACKAGING: BULK
 5. TERMINAL TO HOUSING RETENTION FORCE: 3 LBS. MIN.
 6. CONNECTORS ARE NOT STACKABLE ON .100/(2.54) CENTERS.
 7. TERMINALS CONFORM TO SOLDERABILITY SPECIFICATION SMES-152.
 8. .085/(2.16) DIM. WILL VARY DEPENDING ON LEAD THICKNESS.



OPTION CODE -2*



CKT NO 1



SECTION A-A

4038-N *
ASSEMBLY OPTION CODE
1= STRAIGHT
2= RIGHT ANGLE
TERMINAL SEE CHART

ADD DIMENSION EC NO: UCP2007-0731 DRAWN BY: DER CHKD: ADERR APPR: FSM TH 2006/09/29 2006/10/03 2006/10/17	QUALITY SYMBOLS ▽=0 ▽=0	GENERAL TOLERANCES (UNLESS SPECIFIED)		DIMENSION STYLE IN/MM		SCALE 1:1	DESIGN UNITS INCH	THIRD ANGLE PROJECTION				
		4 PLACES ±.010 ±.010	3 PLACES ±.010 ±.010	2 PLACES ±0.25 ±.014	1 PLACE ±0.36 ±.014	ANGULAR ±1/2°	DRAWN BY SAMIEC	DATE 1992/01/10	CHECKED BY PATEL	DATE 1992/01/10	APPROVED BY LENZ	DATE 1992/01/10
		DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS		SEE CHART		MATERIAL NO. SDA-4038		DOCUMENT NO. SDA-4038		SHEET NO. 1 OF 2		
		THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION										

